Sikafloor Level PRO Primer

Version 1.0



SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name	[:] Sikafloor Level PRO Primer					
Product code	: 000000612675					
Type of product	: liquid					
Manufacturer or supplier's details						
Company	: Sika Australia Pty. Ltd.					
Address	: Elizabeth Street 55 Wetherill Park NSW 2164					
Telephone	: +61297251145					
Emergency telephone num- ber	: + 61 1800 033 111					
Telefax	: +61297253330					
E-mail address	: EHS@au.sika.com					

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification Serious eye damage/eye irri- tation	:	Category 2A
Skin sensitisation	:	Category 1
GHS label elements Hazard pictograms	:	
Signal word	:	Warning
Hazard statements	:	H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.
Precautionary statements	:	 Prevention: P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. P264 Wash skin thoroughly after handling. P272 Contaminated work clothing should not be allowed out of the workplace. P280 Wear protective gloves/ eye protection/ face protection. Response: P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

Sikafloor Level PRO Primer

Version 1.0	SDS Number: 000000612675	Revision Date: 26.05.2016
	easy to do. Continue rinsing.	
	P333 + P313 If skin irritation or rash vice/ attention.	occurs: Get medical ad-
	P337 + P313 If eye irritation persistation tention.	s: Get medical advice/ at-
	P363 Wash contaminated clothing b	pefore reuse.
	Disposal:	
	P501 Dispose of contents/ containe	r to an approved waste

Other hazards which do not result in classification

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

Chemical name	CAS-No.	Concentration (%)
1,2-benzisothiazol-3(2H)-one	2634-33-5	< 10

disposal plant.

SECTION 4. FIRST AID MEASURES

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	Immediately flush eye(s) with plenty of water. Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	:	Clean mouth with water and drink afterwards plenty of water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. Obtain medical attention.
Most important symptoms and effects, both acute and delayed	:	irritant effects sensitising effects Allergic reactions Excessive lachrymation See Section 11 for more detailed information on health effects and symptoms. May cause an allergic skin reaction. Causes serious eye irritation.
Notes to physician	:	Treat symptomatically.

Sikafloor Level PRO Primer

Revision Date: 26.05.2016

Version 1.0

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment.
Hazardous combustion prod- ucts	: No hazardous combustion products are known
Specific extinguishing meth- ods	: Standard procedure for chemical fires.
Special protective equipment for firefighters	: In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES


Personal precautions, protec- tive equipment and emer- gency procedures	:	Use personal protective equipment. Deny access to unprotected persons.
Environmental precautions	:	Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	Normal measures for preventive fire protection.
Advice on safe handling	 Do not breathe vapours or spray mist. Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the application area. Follow standard hygiene measures when handling chemical products
Hygiene measures	 Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

Version 1.0

Sikafloor Level PRO Primer



kept upright to prevent leakage.

Store in accordance with local regulations.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Personal protective equipment

Respiratory protection	:	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. The filter class for the respirator must be suitable for the max- imum expected contaminant concentration (gas/vapour/aerosol/particulates) that may arise when han- dling the product. If this concentration is exceeded, self- contained breathing apparatus must be used.
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard should be worn at all times when handling chemical products if a risk assessment indicates this is nec- essary.
Eye protection	:	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary.
Skin and body protection	:	Choose body protection in relation to its type, to the concen- tration and amount of dangerous substances, and to the spe- cific work-place.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES


Appearance	: liquid
Colour	: white
Odour	: characteristic
Odour Threshold	: No data available
рН	: 8
Melting point/range / Freezing point	: No data available
Boiling point/boiling range	: No data available
Flash point	: > 93.3 °C (> 199.9 °F) Method: closed cup

Flammability

Density

Version 1.0

Sikafloor Level PRO Primer



Solubility(ies)	
Water solubility	: No data available
Solubility in other solvents	: No data available
Partition coefficient: n- octanol/water	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity Viscosity, dynamic	: No data available
Viscosity, kinematic	: >7 mm2/s (40 °C)
Molecular weight	: No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No dangerous reaction known under conditions of normal use.
Chemical stability	: The product is chemically stable.
Possibility of hazardous reac- tions	: Stable under recommended storage conditions.
Conditions to avoid	: No data available
Incompatible materials	: No data available
Hazardous decomposition products	: No decomposition if stored and applied as directed.

Sikafloor Level PRO Primer

Version 1.0



SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity No data available

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Skin sensitisation: May cause an allergic skin reaction. Respiratory sensitisation: Not classified based on available information.

Chronic toxicity

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity Not classified based on available information.

Reproductive toxicity Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

1,2-benzisothiazol-3(2H)-one:

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia (water flea)): 3 mg/l Exposure time: 48 h

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

Product:

Revision Date: 26.05.2016

Sikafloor Level PRO Primer

Version 1.0	SDS Number: 000000612675	Revision Date: 26.05
Additional ecological infor- mation	: Harmful to aquatic life with long lasting effe	cts.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	 The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemi- cal or used container. Send to a licensed waste management company.
Contaminated packaging	: Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

	International Regulation IATA-DGR Not dangerous goods IMDG-Code Not dangerous goods
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Not applicable for product as supplied.	
	National Regulations ADG Not dangerous goods

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislature	ation specific for the substance or mix-			
Standard for the Uniform : No poison schedule Scheduling of Medicines and Poisons	number allocated			
International Chemical Weapons Convention (CWC) : Not applicable Schedules of Toxic Chemicals and Precursors				
Prohibition/Licensing Requirements	: There is no applicable prohibition or notification/licensing requirements, including for carcinogens under Commonwealth, State or Territory legislation.			
The components of this product are reported in the following inventories:				

AICS : On the inventory, or in compliance with the inventory

Sikafloor Level PRO Primer

Version 1.0

SDS Number: 000000612675



SECTION 16. OTHER INFORMATION

Date format

: dd.mm.yyyy

Material Safety Data Sheets are updated frequently. Please ensure that you have a current copy. MSDS may be obtained from the following website: aus.sika.com

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.