

## SAFETY DATA SHEET

#### 1. Identification

Product identifier LATICRETE Spectralock Pro Premium Part B

Other means of identification None.

Recommended use of the chemical and restrictions on use

Recommended use Grout.

**Restrictions on use** Not available.

Details of manufacturer or importer

Company name LATICRETE International Address 1 Laticrete Park, N

Bethany, CT 06524

Telephone(203)-393-0010Contact personSteve Fine

Website www.laticrete.com

Emergency phone number Call CHEMTREC day or night

USA/Canada - 1.800.424.9300 Mexico - 1.800.681.9531 Outside USA/Canada 1.703.527.3887

**Supplier** 

Company name LATICRETE Australia

Address P.O. Box 508

Virginia Business Mail Centre

29 Telford Street VIRGINIA QLD 4014

Australia

Telephone (61) (7) 3865-1599
Website www.laticrete.com
Emergency phone number 1.703.527.3887

## 2. Hazard(s) identification

## Classification of the hazardous chemical

Physical hazards Not classified.

Health hazards Skin corrosion/irritation Category 2

Serious eye damage/eye irritation Category 2A
Sensitization, skin Category 1
Hazardous to the aquatic environment, acute Category 2

Environmental hazards Hazardous to the aquatic environment, acute

hazard

Hazardous to the aquatic environment, (

long-term hazard

Category 2

#### Label elements, including precautionary statements

Hazard symbol(s)

Signal word



Exclamation Environment mark

Warning

**Hazard Statement(s)** Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction. Toxic to

aquatic life with long lasting effects.

**Precautionary Statement(s)** 

Prevention Avoid breathing mist or vapour. Wash thoroughly after handling. Contaminated work clothing

should not be allowed out of the workplace. Wear protective gloves and eye/face protection. Avoid

release to the environment.

Response IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Get medical

> advice/attention. Take off contaminated clothing and wash it before reuse. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Collect spillage.

Store away from incompatible materials. Storage

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards which do not result in classification

None known.

Supplemental information None.

## 3. Composition/information on ingredients

#### **Mixture**

Identity of chemical ingredients	CAS number and other unique identifiers	Concentration of ingredients
Propane, 2,2-bis[p-(2,3-epoxypropoxy)phenyl]-, polymers	25085-99-8	44 - 52
Bisphenol F epoxy resin	9003-36-5	9 - 18
Alkyl(C12-14) glycidyl ether	68609-97-2	6 - 10
Dialkylaminobenzoic ester	57834-33-0	0.8 - 2.4
Ethylene glycol	107-21-1	1 - 2
Bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate	41556-26-7	0.6 - 1.8
Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate	82919-37-7	0.1 - 0.95

**Composition comments** 

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

## 4. First-aid measures

Description of necessary first aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Remove contaminated clothing immediately and wash skin with soap and water. In case of

eczema or other skin disorders: Seek medical attention and take along these instructions.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Rinse mouth. Get medical attention if symptoms occur. Ingestion

Personal protection for first-aid responders

contaminated clothing before reuse.

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. If you feel unwell, seek medical advice (show the label where possible). Wash

Symptoms caused by exposure Rash. Irritant effects.

Medical attention and special

treatment

Provide general supportive measures and treat symptomatically.

## 5. Fire-fighting measures

**Extinguishing media** 

Suitable extinguishing

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

During fire, gases hazardous to health may be formed.

the chemical

media

Special protective equipment

and precautions for fire

fighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting equipment/instructions In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do

so without risk.

**Hazchem Code** 

37

General fire hazards

This product is not flammable.

#### 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained.

For emergency responders

Do not touch damaged containers or spilled material unless wearing appropriate protective

clothing.

**Environmental precautions** 

Avoid release to the environment. Contact local authorities in case of spillage to drain/aquatic environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water. Avoid discharge into drains, water courses or onto the ground. Environmental manager must be informed of all releases.

Methods and materials for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Other issues relating to spills and releases

Never return spills in original containers for re-use. For waste disposal, see Section 13 of the SDS. Clean up in accordance with all applicable regulations.

## 7. Handling and storage

Precautions for safe handling

Do not breathe mist or vapour. Do not get in eyes, on skin, on clothing. Persons susceptible for allergic reactions should not handle this product. Use with adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Keep container tightly closed. Store in a cool and well-ventilated place. Store away from incompatible materials (See Section 10).

## 8. Exposure controls and personal protection

**Control parameters** 

Follow standard monitoring procedures.

Occupational exposure limits

Australia. National Workplace OELs (Workplace Exposure Standards for Airborne Contaminants, Appendix A)

Components	Туре	Value	
Ethylene glycol (CAS 107-21-1)	STEL	104 mg/m3	
•		40 ppm	
	TWA	10 mg/m3	
		20 ppm	

## Australia. OELs. (Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational **Environment)**

Components	Туре	Value	Form
Ethylene glycol (CAS 107-21-1)	STEL	104 mg/m3	Vapour.
		40 ppm	Vapour.
	TWA	52 mg/m3	Vapour.
		10 mg/m3	Particulate.
		20 ppm	Vapour.

#### **US. ACGIH Threshold Limit Values**

Components	Туре	Value	Form
Ethylene glycol (CAS 107-21-1)	Ceiling	100 mg/m3	Aerosol

### **UK. EH40 Workplace Exposure Limits (WELs)**

Components	Туре	Value	Form
Ethylene glycol (CAS 107-21-1)	STEL	104 mg/m3	Vapour.
,		40 ppm	Vapour.
	TWA	52 mg/m3	Vapour.
		10 mg/m3	Particulate.
		20 ppm	Vapour.

# Germany. DFG MAK List (advisory OELs). Commission for the Investigation of Health Hazards of Chemical Compounds in the Work Area (DFG)

Components	Туре	Value	Form
Ethylene glycol (CAS 107-21-1)	TWA	26 mg/m3	Vapor and aerosol.
,		10 ppm	Vapor and aerosol.

Biological limit values No biological exposure limits noted for the ingredient(s).

**Exposure guidelines** 

Australia OELs: Skin designation

Ethylene glycol (CAS 107-21-1)

Can be absorbed through the skin.

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Ensure

adequate ventilation, especially in confined areas. Provide eyewash station.

Individual protection measures, for example personal protective equipment (PPE)

**Eye/face protection** Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear appropriate chemical resistant gloves.Other Wear appropriate chemical resistant clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

Hygiene measures Always observe good personal hygiene measures, such as washing after handling the material

and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

## 9. Physical and chemical properties

**Appearance** 

Physical stateLiquid.FormLiquid.ColourWhite.

Odour Not available.

Odour threshold Not available.

PH Not available.

Melting point/freezing point 0 °C (32 °F)

Initial boiling point and boiling 100 °C (212 °F)

range

Flash point Non flammable.

Evaporation rate Not applicable.

Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

Not available.

(%)

Flammability limit - upper

(%)

Vapour pressureNot applicable.Vapour densityNot applicable.

Relative density 1.09

Solubility(ies)

Solubility (water) Soluble in water.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

## 10. Stability and reactivity

**Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

**Chemical stability** Material is stable under normal conditions.

Possibility of hazardous

reactions

Masses of more than 1 pound of product plus an aliphatic amine will cause irreversible

polymerization with considerable heat build up.

**Conditions to avoid** Excessive heat. Contact with incompatible materials.

Incompatible materials Strong oxidising agents.

Hazardous decomposition

products

At thermal decomposition temperatures, carbon monoxide and carbon dioxide. Aldehydes.

## 11. Toxicological information

Information on possible routes of exposure

InhalationNo adverse effects due to inhalation are expected.Skin contactIrritating to skin. May cause an allergic skin reaction.

**Eye contact** Irritating to eyes.

**Ingestion** May cause discomfort if swallowed.

Symptoms related to exposure Rash. Irritant effects.

Acute toxicity May cause discomfort if swallowed.

Components Species Test results

Bisphenol F epoxy resin (CAS 9003-36-5)

Acute

Dermal

LD50 Rat > 2000 mg/kg

Oral

LD50 Rat > 5000 mg/kg

Ethylene glycol (CAS 107-21-1)

Acute

Dermal

LD50 Rabbit 9530 mg/kg

Oral

LD50 Rat 4700 mg/kg

**Skin corrosion/irritation** Causes skin irritation.

Serious eye damage/irritation Causes serious eye irritation.

Respiratory or skin sensitisation

LATICRETE Spectralock Pro Premium Part B

**Respiratory sensitisation** No data available.

**Skin sensitisation** May cause an allergic skin reaction.

Germ cell mutagenicity Not expected to be mutagenic.

**Carcinogenicity** Not classifiable as to carcinogenicity to humans.

**ACGIH Carcinogens** 

Ethylene glycol (CAS 107-21-1) A4 Not classifiable as a human carcinogen.

**Reproductive toxicity**This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

No data available.

single exposure

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard No data available.

**Chronic effects** Prolonged or repeated contact may cause drying, cracking, or irritation.

## 12. Ecological information

**Ecotoxicity** Toxic to aquatic life with long lasting effects.

Components Species Test results

Bisphenol F epoxy resin (CAS 9003-36-5)

**Aquatic** 

Acute

Fish LC50 Leuciscus idus 5.7 mg/l, 96 hours

Ethylene glycol (CAS 107-21-1)

**Aquatic** 

Fish LC50 Fathead minnow (Pimephales promelas) 8050 mg/l, 96 hours

Propane, 2,2-bis[p-(2,3-epoxypropoxy)phenyl]-, polymers (CAS 25085-99-8)

Aquatic

Acute

 Algae
 IC50
 Algae
 11 mg/l, 72 hours

 Crustacea
 EC50
 Daphnia
 1.8 mg/l, 48 hours

 Fish
 LC50
 Fish
 1 - 10 mg/l

Persistence and degradability

No data is available on the degradability of this product.

Bioaccumulative potential

No data available for this product.

Partition coefficient n-octanol / water (log Kow)

Ethylene glycol (CAS 107-21-1) -1.36

**Mobility in soil** The product is soluble in water.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

**Disposal methods**Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

**Contaminated packaging** Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

## 14. Transport information

**ADG** 

UN number 3082

**UN proper shipping name** Environmentally hazardous substance, liquid, n.o.s. (Bisphenol F epoxy resin, Propane,

2,2-bis[p-(2,3-epoxypropoxy)phenyl]-, polymers)

LATICRETE Spectralock Pro Premium Part B

SDS Australia

Transport hazard class(es)

Class 9 Subsidiary risk Ш Packing group **Environmental hazards** Yes D3Z **Hazchem Code** 

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

**RID** 

**UN** number

**UN proper shipping name** Environmentally hazardous substance, liquid, n.o.s. (Bisphenol F epoxy resin, Propane,

2,2-bis[p-(2,3-epoxypropoxy)phenyl]-, polymers)

Transport hazard class(es)

Class 9 Subsidiary risk 9 Label(s) Ш Packing group **Environmental hazards** Yes

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

IATA

3082 **UN number** 

Environmentally hazardous substance, liquid, n.o.s. (Bisphenol F epoxy resin, Propane, **UN proper shipping name** 

2,2-bis[p-(2,3-epoxypropoxy)phenyl]-, polymers)

Transport hazard class(es)

9 Class Subsidiary risk 9 Label(s) Packing group Ш **Environmental hazards** Yes **FRG Code** 9L

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

**IMDG** 

**UN** number

**UN** proper shipping name Environmentally hazardous substance, liquid, n.o.s. (Bisphenol F epoxy resin, Propane,

2,2-bis[p-(2,3-epoxypropoxy)phenyl]-, polymers)

Transport hazard class(es)

9 Class Subsidiary risk a Label(s) Ш **Packing group Environmental hazards** 

Marine pollutant Yes F-A. S-F **EmS** 

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to Annex II of MARPOL 73/78 and

the IBC Code

**General information** IATA classification is not relevant as the material is not transported by air.

## 15. Regulatory information

Safety, health and environmental regulations

**National regulations** This Safety Data Sheet was prepared in accordance with the Australia National Code of Practice

This substance/mixture is not intended to be transported in bulk.

for the Preparation of Material Safety Data Sheets (NOHSC: 2011.)

Australia Medicines & Poisons Appendix E

Ethylene glycol (CAS 107-21-1)

**Australia Medicines & Poisons Schedule 10** 

ETHYLENE GLYCOL (CONC>0.25%) (CAS 107-21-1)

Australia Medicines & Poisons Schedule 5

ETHYLENE GLYCOL (EXCLUDING ITS SALTS AND DERIVATIVES) (CAS 107-21-1)

LATICRETE Spectralock Pro Premium Part B

#### Australia Medicines & Poisons Schedule 6

ETHYLENE GLYCOL (EXCLUDING ITS SALTS AND DERIVATIVES) (CAS 107-21-1)

#### Australia National Pollutant Inventory (NPI): Threshold quantity

Ethylene glycol (CAS 107-21-1) 10 TONNES/YR Threshold Category: 1

**High Volume Industrial Chemicals (HVIC)** 

Ethylene glycol (CAS 107-21-1) 10000 - 99999 TONNES See the regulation for additional information.

#### Importation of Ozone Deleting Substances (Customs(Prohibited imports) Regulations 1956, Schedule 10)

## National Pollutant Inventory (NPI) substance reporting list

Not listed.

#### **Prohibited Carcinogenic Substances**

Not regulated.

Prohibited Substances (National Model Regulation for the control of Workplace Hazardous Substances, Schedule 2 NOHSC:1005 (1994) as amended)

#### Resricted Importation of Organochlorine Chemicals (Customs(Prohibited Imports) Regulations 1956, Schedule 9)

#### **Restricted Carcinogenic Substances**

Not regulated.

#### International regulations

#### **Stockholm Convention**

Not applicable.

#### **Rotterdam Convention**

Not applicable.

## **Kyoto protocol**

Not applicable.

# **Montreal Protocol**

Not applicable.

## **Basel Convention**

Country(s) or region

Not applicable.

#### International Inventories

Country(3) or region	inventory name	On inventory (yearno)
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

<sup>\*</sup>A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

## 16. Other information

Issue date 08-December-2015 **Revision date** 19-October-2016

HSDB® - Hazardous Substances Data Bank References

Inventory name

Registry of Toxic Effects of Chemical Substances (RTECS)

917376 Version #: 02 Revision date: 19-October-2016 Issue date: 08-December-2015

8/9

On inventory (yes/no)\*

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

#### **Disclaimer**

The information in this (M)SDS was obtained from sources which we believe are reliable but cannot guarantee. Additionally, your use of this information is beyond our control and may be beyond our knowledge. Therefore, the information is provided without any representation or warranty express or implied.