

# Aqua Mix® NanoScrub®

## 1 Product Name

Aqua Mix® NanoScrub®

## 2 Manufacturer

Custom Building Products  
 Technical Services  
 10400 Pioneer Boulevard, Unit 3  
 Santa Fe Springs, CA 90670  
 Customer Support: 800-272-8786  
 Technical Services: 800-282-8786  
 Fax: 800- 200-7765  
 Email: [contactus@cbpmail.net](mailto:contactus@cbpmail.net)  
[custombuildingproducts.com](http://custombuildingproducts.com)

## 3 Product Description

A mild abrasive cream cleaner designed to work where other cleaners won't. It utilizes micro-sized particles to penetrate into small surface pores where it can effectively work to remove surface stains and residues. Effective for cleaning all stone and tile surfaces. Also removes factory-applied waxes, coating sealers, light grout residue (including epoxy), rubber and pencil marks, light mineral deposits, ground-in dirt and most sealer residues. NanoScrub® is non-flammable and non-acidic.

### Key Features

- Dissolves ground-in dirt from textured surfaces
- Removes factory applied waxes and floor finishes
- Breakthrough NanoSTG™ technology

### Uses

Porcelain, ceramic, polished and unpolished natural stone (such as granite, limestone, marble, slate, and travertine), grout, quarry, saltillo, terra-cotta, cement pavers, masonry surfaces, and other stone, tile and grout surfaces.

### Limitations to the Product

Do not allow product to come in contact with any non-recommended surface, including (but not limited to) onyx and soft limestone.

## 4 Technical Data

### Technical Chart

Property	Typical Results
pH	9 - 10

### Environmental Consideration

#### Environmental Consideration

Custom® Building Products is committed to environmental responsibility in both products produced and in manufacturing practices. Use of this product may contribute towards LEED® certification:

- Up to 2 points towards MR Credit 5, Regional Materials
- Complies with all Federal, SCAQMD, and CARB standards for VOC's

## 5 Instructions

### General Surface Prep

Test in a small, inconspicuous area according to application instructions to determine desired results.

Published Date: 3/23/2023



### Application of Product

**USE CHEMICAL-RESISTANT GLOVES, such as nitrile, when handling product.**

Read entire label before using. SHAKE WELL BEFORE USING. Sweep, vacuum, or dust surface to remove any loose debris. Pre-wet surface with a liberal amount of water. Apply NanoScrub® directly to the wet surface. Agitate with a white nylon pad, scrub brush or scrub machine. Mop or wet vacuum up residue. Rinse thoroughly with clean water. NanoScrub® can be used as a power booster with any Aqua Mix® [cleaner](#) or [problem solver](#), mixed according to directions. Apply chosen product to surface, add NanoScrub® and agitate mixture. Continue to follow directions on the chosen product making sure a clean water rinse is the final step to remove any remaining residue.

### Cleaning of equipment

Clean tools with water before material dries.

### Storage

Protect from freezing. Store in a cool, dry area.

### Health Precautions

MAY BE HARMFUL IF SWALLOWED. MAY IRRITATE EYES AND SKIN. Wear skin and eye protection. Contains coconut oil, DEA and ethoxylated alcohol. If in eyes, flush with water for at least 15 minutes. If on skin, wash with soap and water. If irritation persists, seek medical attention. If swallowed, DO NOT induce vomiting, seek medical attention. KEEP OUT OF REACH OF CHILDREN

## 6 Availability & Cost

Location	Item Code	Size	Package
USA	100978-4	1 qt (946 ml)	Bottle
USA	100979	1 gal. (3.8 L)	Bottle
Canada	C100978-4	1 qt (946 ml)	Bottle
Canada	C100979	1 gal. (3.8 L)	Bottle

## 7 Product Warranty

Obtain the applicable **LIMITED PRODUCT WARRANTY** at [www.custombuildingproducts.com/product-warranty](http://www.custombuildingproducts.com/product-warranty) or send a written request to Custom Building Products, Inc., Five Concourse Parkway, Atlanta, GA 30328, USA. Manufactured under the authority of Custom Building Products, Inc. © 2017 Quikrete International, Inc.



# CUSTOM®

# Aqua Mix® NanoScrub®

---

## 8 Product Maintenance

Properly applied product requires no special maintenance.

## 9 Technical Services Information

For technical assistance, contact Custom technical services at 800-282-8786 or visit [custombuildingproducts.com](http://custombuildingproducts.com).

## 10 Filing System

Additional product information is available from the manufacturer upon request.

---

### VOC Content

Maximum VOCs: 0.6%

### Handling & Storage

- Close container tightly after each use
- Store in original container only
- Store in and use in temperatures between 45° F to 85° F (7.2° C to 29.4° C)
- Store in areas inaccessible to small children
- Do not reuse empty container, wrap and discard in trash or recycle

### Related Products

Aqua Mix® Sealer's Choice® Gold

# Aqua Mix® NanoScrub®

---

Coverage

SIZE	Min Coverage	Max Coverage
1 Gallon (3.78 L)	200 ft <sup>2</sup> (19 M <sup>2</sup> )	2,000 ft <sup>2</sup> (186 M <sup>2</sup> )

